12853 FRONT
Flat: 7.875" x 6.3125"
Fold: 1.125" x 1.125"
Panels: 7 x 6
Style: RTA - glued

NO COPY AREA

# PATIENT INFORMATION LEAFLET

**SCHEDULING STATUS: S0**

**NUTRILITE™ DOUBLE X™ - film coated tablets**

| Each film-coated tablet contains: | |
|---|---|
| Beta Carotene | 200µg RAE |
| Retinyl Acetate (Vitamin A) | 400 µg RAE |
| (Total Vitamin A | 600 µg RAE) |
| D-alpha Tocopheryl acid succinate (Vitamin E) | 6 mg |
| L-Ascorbic acid (Vitamin C) | 50 mg |
| Thiamine mononitrate (Vitamin B1) | 1,1 mg |
| Riboflavin (Vitamin B2) | 1,4 mg |
| Nicotinamide (Vitamin B3) | 8 mg NE |
| Pyridoxine hydrochloride (Vitamin B6) | 1,4 mg |
| Folic acid | 100 µg |
| Cyanocobalamin (Vitamin B12) | 1,25 µg |
| Biotin | 50 µg |
| Calcium pantothenate | |
| providing Pantothenic acid (Vitamin B5) | 6 mg |
| Calcium carbonate | 356 mg |
| providing Calcium | 140 mg |
| Magnesium oxide | 127,5 mg |
| providing Magnesium | 65 mg |
| Zinc oxide | 2,35 mg |
| providing Zinc | 1,75 mg |
| Sodium | 30 µg |
| providing Selenium | 9 µg |
| *Tagetes erecta* (L)(Marigold) | 10 mg |
| providing Lutein esters | 1 mg |
| (Flower oleoresin, 40:1 extract standardized to 10 % lutein providing 400 mg dried herbal equivalent) | |
| *Lycopersicon esculantum* (L) (Tomato) | 10 mg |
| providing Lycopene | 0.5 mg |
| (Fruit, 5000:1 extract, standardized to 5% Lycopene providing 5 g quantity crude equivalent) | |
| Contains Sugar: | |
| Sucrose | 6,15 mg |
| Glucose syrup | 0,41 mg |
| Each film coated vitamin tablet contains maltodextrin 9,36 mg and glycerol 0,81 mg. | |

| Each film coated mineral tablet contains: | |
|---|---|
| Calcium carbonate | 382 mg |
| providing Calcium | 150 mg |
| Magnesium oxide | 63,78 mg |
| providing Magnesium | 32,50 mg |
| Zinc oxide | 4,37 mg |
| providing Zinc | 3,25 mg |
| Ferrous fumarate | 11,82 mg |
| providing Iron | 3,50 mg |
| Copper gluconate | 3,64 mg |
| providing Copper | 0,48 mg |
| Manganese sulfate | 1,67 mg |
| providing Manganese | 0,50 mg |
| Sodium selenite | 60 µg |
| providing Selenium | 16 µg |
| Chromium chloride | 100 µg |
| providing Chromium | 18 µg |
| Sodium molybdate | 89 µg |
| providing Molybdenum | 22,50 µg |
| *Mentha piperita* (L) (Peppermint) | 6 mg |
| (Leaf, 5:1 extract, standardized to 10% eriocitrin providing 30 mg dried herbal equivalent) | |
| *Petroselinum crispum* (L) (Parsley) (leaf and stem powder) | 4,25 mg |
| *Spinacia oleracea* (L) (Spinach) (leaf and stem powder) | 4,25 mg |
| *Nasturtium officinale* (L) (Watercress) (leaf and stem powder) | 2,43 mg |
| *Medicago sativa* (L) (Alfalfa) (leaf and stem powder) | 1,22 mg |
| Sugar free | |
| Each film coated mineral tablet contains 10,04 mg of maltodextrin and 0,62 mg of glycerol. | |

| Each phytonutrient tablet contains: | |
|---|---|
| Cholecalciferol (Vitamin D3) | 3,75 µg |
| L-Ascorbic acid (Vitamin C) | 22 mg |
| *Malpighia emarginata* (Acerola) | 35,42 mg |
| (Fruit, 19-24 :1 extract standardized to 25 % ascorbic acid providing 672 mg – 850 mg dried herbal equivalent) | |
| Calcium carbonate | 127,4 mg |
| providing Calcium | 50 mg |
| Magnesium oxide | 49 mg |
| providing Magnesium | 25 mg |
| *Ascophyllum nodosum* (L)and *Laminaria digitata* (L) (Kelp) | 11,5 mg |
| providing Iodine | 15 µg |
| (Whole thallus powder, standardised to 0,13% -0,19% Iodine) | |
| Potassium iodide | 80 µg |
| providing Iodine | 50 µg |
| *Curcuma longa* (L)(Tumeric | 18,5 mg |
| (Rhizome 25-50:1 extract to standardized 85% curcuminoids providing 462,5 mg - 925 mg dried herbal equivalent) | |
| *Dimorphandra mollis* (L) (Rosemary) | 83,5 mg |
| (Leaf, 5-10:1 extract standardized to 6% rosmarinic acid providing 417,5 mg – 83,5 mg dried herbal equivalent) | |
| *Styphnolobium japonicum* (L) (Japanese Pagodatree flower) | 64 mg |
| (Flower, 15:1 extract standardized to 83% -105% quercetin providing 960 mg dried herbal equivalent) | |
| *Citrus species* (Citrus Bioflavonoids) | 10,43 mg |
| from: *Citrus sinensis* (L), *Citrus paradisi* (L), *Citrus limon* (L), *Citrus reticulata* (L). | |
| (Fruit and peel, 4-7:1 extract standardized to 5,20 % - 9,29 % hesperidin providing 41,72 mg - 73 mg dried herbal equivalent) | |
| *Vitis vinifera* (L) (Grape) | 8,9 mg |
| (Fruit, 100 -150:1 extract standardized to minimum 10 % anthocyanins providing 890 mg-1335 mg quantity crude equivalent) | |
| *Ribes nigrum* (L) (Blackcurrant) | 2,4 mg |
| (Fruit, 90-400:1 extract standardized to 25 % anthocyanins providing 216 mg – 960 mg quantity crude equivalent) | |
| *Sambucus nigra subsp. nigra* (Elderberry) | 1,3 mg |
| (Fruit, 67- 92:1 extract standardized to 16% anthocyanins providing 87 mg- 119,6 mg quantity crude equivalent) | |
| *Vaccinium corymbosum* (L)(Blueberry) (Fruit powder) | 1,5 mg |
| *Phyllanthus emblica* (L)(Amla) (fruit powder) | 5 mg |
| *Allium cepa* (L)(Onion) | 2 mg |
| (Bulb, 120 -150:1 extract, standardized to 2 % quercetin providing 240mg-300mg quantity crude equivalent) | |
| Contains Sugar: | |
| Sucrose | 0,90 mg |
| Each filmcoated phytonutrient tablet contains maltodextrin 28 mg and glycerol 0,57 mg. | |

**D34.7 COMBINATION PRODUCT**
**COMPLEMENTARY MEDICINE - WESTERN HERBAL MEDICINE AND HEALTH SUPPLEMENT.**
**Read all of this leaflet carefully because it contains important information for you.**

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

NUTRILITE™ DOUBLE X™ is available without a doctor's prescription for you for your nutritional health. Nevertheless, you still need to use NUTRILITE™ DOUBLE X™ carefully to get the best results from it.
- Keep this leaflet. You may need to read it again.
- Do not share NUTRILITE™ DOUBLE X™ with any other person.
- Ask your health care provider or pharmacist if you need more information

**What is in this leaflet:**
1. What NUTRILITE™ DOUBLE X™ is and what it is used for
2. What you need to know before you take NUTRILITE™ DOUBLE X™
3. How to take NUTRILITE™ DOUBLE X™
4. Possible side effects
5. How to store NUTRILITE™ DOUBLE X™
6. Contents of the pack and other information

**1. What NUTRILITE™ DOUBLE X™ is and what it is used for**

NUTRILITE™ DOUBLE X™ provides 12 essential vitamins, 10 minerals and 22 plant-based ingredients for your general nutritional health. NUTRILITE™ DOUBLE X™ contains plant-based ingredients from the 5 colours on the phytonutrient spectrum. The plant-based ingredients provide source of antioxidants. Antioxidants helps your cells fight against the effect of oxidative damage caused by free radicals.

"A varied diet is the most effective and safe way to achieve good nutrition, health, body composition as well as mental and physical performance."

**2. What you need to know before you take NUTRILITE™ DOUBLE X™**

**Do Not Take NUTRILITE™ DOUBLE X™**
- If you are hypersensitive (allergic) to any of the ingredients (See list in Section 6.0).
- If you are hypersensitive to plants of the Asteraceae/Compositae family. Members of this family include ragweed, chrysanthemums, marigolds, daisies.
- If you are pregnant, breast feeding or planning to have a baby.
- If you have kidney stones or chronic kidney condition.
- If you suffer from hypercalcaemia (high level of calcium in the blood).
- If you suffer from iron storage disorders such as haemochromatosis.
- If you have high levels of vitamin A in your blood (hypervitaminosis A).
- If you are taking other supplements containing vitamin A, betacrotene and and retinol.
- If you are allergic to nuts or soya.

**Warnings and precautions**

Take special care with NUTRILITE™ DOUBLE X™.
Consult a relevant health care provider before using NUTRILITE™ DOUBLE X™
- If you are taking prescription medicines
- If you have gallstones or a bile duct obstruction
- If you have stomach ulcers or excess stomach acid
- If you suffer from kidney disease
- If you are a tobacco smoker
- If you have cardiovascular diseases
- If you use statins to lower cholesterol
- If you suffer from thyroid problems
- If diagnosed or suspected to suffer from prostate cancer
- If you have or develop abdominal pain, nausea, fever or vomiting

If you are taking prescription medication, consult a relevant healthcare provider prior to use, as citrus bioflavonoids may alter the effectiveness of these medications. Do not exceed daily dose without consulting a relevant health care provider. Stop use if laxative effect occurs. Long term use (3-month continuous use) should be under the care of a relevant health care provider. NUTRILITE™ DOUBLE X™ is not suitable for children.

**Children and Adolescents**

NUTRILITE™ DOUBLE X™ is not suitable for children and adolescents under 18 years of age.

**Other medicines and NUTRILITE™ DOUBLE X™**

Always tell your health care provider if you are taking or have recently taken/used any other medicine including all complementary or traditional medicines. Tell your health care provider if you are taking or have recently taken or used any of the following medicines as they may interfere with NUTRILITE™ DOUBLE X™:
- If you are taking antiplatelet medicines or blood thinners
- If you are taking phenytoin (used to treat epilepsy)
- If you are taking tetracycline antibiotics (used to treat infections) such as doxycycline and minocycline.

Beta-carotene supplements can interact with the following medicines:
- Statins: Betacarotene may make simvastatin (Zocor) less effective. The same may be true of other statins, such as atorvastatin (Lipitor). If you take statins to lower cholesterol, talk to your doctor before taking betacarotene supplements.
- Cholestyramine, a medicine used to lower cholesterol may lower levels of dietary beta-carotene in the blood.
- Colestipol, a cholesterol-lowering medicine similar to cholestyramine, may also reduce betacarotene levels. Your doctor may monitor your levels of betacarotene, but you do not usually need to take a supplement.
- Orlistat: Orlistat (Xenical), a weight loss medicine, may reduce the absorption of beta-carotene, meaning your body would get less beta-carotene.
- Contraceptive pills increase the level of vitamin A in your blood.
- Blood thinners such as antiplatelets (like aspirin), anticoagulants (abciximab, clopidogrel, heparin, warfarin) and nonsteroidal anti-inflammatory medicines (such as ibuprofen, naproxen). The effect of blood thinners and nonsteroidal anti-inflammatory medicines may be increased resulting in longer bleeding time.
- Mineral oil used as laxatives (such as paraffin oil) may reduce the absorption of betacarotene.
- Excessive alcohol consumption increases the risk of liver damage due to Vitamin A.
- Other supplements containing vitamin A, betacarotene and retinol. Hypervitaminosis A, or vitamin A toxicity, occurs when you have too much vitamin A in your body.

You should check with doctor, pharmacist or your healthcare provider if you are unsure.

**NUTRILITE™ DOUBLE X™ with food, drink and alcohol**

Take NUTRILITE™ DOUBLE X™ preferably with a meal as recommended (See Section 3) without alcohol. Take two (2) hours before or after taking other medicines.

**Pregnancy, breastfeeding and fertility**

If you are pregnant or breastfeeding, think you may be pregnant or are planning to have a baby, please consult your health care provider for advice before taking this complementary medicine. Safety of NUTRILITE™ DOUBLE X™ in pregnancy and breastfeeding has not been established.

**Driving and using machines**

NUTRILITE™ DOUBLE X™ is not expected to influence your ability to drive. However, you should not drive, use machinery or perform tasks that require concentration until you are certain that NUTRILITE™ DOUBLE X™ does not adversely affect your ability to do so safely (See Possible Side-effects).

**Important information about some of the ingredients of NUTRILITE™ DOUBLE X™:**

NUTRILITE™ DOUBLE X™ contains soya bean oil. If you are allergic to soya, do not take this complementary medicine. The vitamin tablet in NUTRILITE™ DOUBLE X™ Contains maltodextrin, sucrose, glycerol and glucose. The mineral tablet in NUTRILITE™ DOUBLE X™ Contains maltodextrin and glycerol. The phytonutrient tablet in NUTRILITE™ DOUBLE X™ Contains maltodextrin, sucrose and glycerol. Maltodextrin, sucrose, glycerol and glucose may have an effect on the control of your blood sugar if you have diabetes mellitus. If you have been told by your doctor that you have an intolerance to some sugars, contact your doctor before taking NUTRILITETM DOUBLE X™.

The phytonutrient tablet in NUTRILITE ™ DOUBLE X™ Contains amla extract which may have a laxative effect.

**3. How to take NUTRILITE™ DOUBLE X™**

Always take NUTRILITE™ DOUBLE X™ exactly as described in this leaflet or as your doctor, pharmacist or nurse has told you. Check with your doctor, pharmacist or nurse if you are not sure.

The usual dose for Adults is: Take (1) one vitamin tablet, one (1) mineral tablet and one (1) phytonutrient tablet two times a day with meal or as directed by your healthcare provider. Do not exceed the recommended daily dose unless directed by your doctor. Swallow the tablets whole.

**If you take more NUTRILITE™ DOUBLE X™ than you should:** In the event of overdosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison centre.

**If you forget to take NUTRILITE™ DOUBLE X™:** Do not take a double dose to make up for forgotten individual doses.

**4. Possible Side Effects**

NUTRILITE™ DOUBLE X™ can have side effects. Not all side effects reported for NUTRILITE™ DOUBLE X™ are included in this leaflet. Should your general health worsen or if you experience any untoward effects while taking NUTRILITE™ DOUBLE X™, please consult your doctor, pharmacist or health care provider for advice. Like all medicines, this complementary medicine can cause side effects, although not everybody gets them. If any of the following happens, stop taking NUTRILITE™ DOUBLE X™ and tell your doctor immediately or go to the casualty department at your nearest hospital:
- swelling of your hands, feet, ankles, face, mouth or throat, which may cause difficulty in swallowing or breathing
- rash or itching
- fainting
- yellowing of your skin and eyes, also called jaundice

These are all very serious side effects. If you have them, you may have had a serious allergic reaction. You may need urgent medical attention or hospitalisation. Tell your doctor immediately or go to the casualty department at your nearest hospital if you notice any of the following:
- chest pain
- angina
- changes in the way your heart beats, for example, if you notice it beating faster, difficulty breathing
- signs of recurrent infections such as fever or sore throat
- less urine than is normal for you

These are all serious side effects. You may need urgent medical attention. Tell your doctor as soon as possible if you notice any of the following:
- nausea
- abdominal cramps or stomach pains
- headache
- dizziness
- tiredness
- light-headedness
- dry cough
- muscle cramps
- flatulence or wind
- diarrhoea
- loss of appetite

If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist.

**Reporting of Side Effects**

If you get side effects, talk to your doctor, pharmacist or nurse. You can also report side effects to SAHPRA via the "6.04 Adverse Drug Reaction Reporting Form", found online under: SAHPRA's publications: SAHPRA via the "6.04 Adverse Drug Reaction Reporting Form",
https://www.sahpra.org.za/Publications/Index/8.

Botswana's publications: BOMRA via Suspected Adverse Drug Reactions Reporting Form,
https://www.bomra.co.bw/index.php/suspected-adverse-drug-reactions-reporting-form

Namibia's publication: Adverse Medicine Reaction (Safety Yellow Form)
https://nmrc.gov.na/documents/81630/410067/Safety+Yellow+Form.pdf/8cbbf343-3cf8-dba3-7ec1-50b881fdab26

May also report to Amway South Africa Pty Limited using the following email:
Regulatory_Department@Amway.com.

By reporting side effects, you can help provide more information on the safety of NUTRILITE™ DOUBLE X™.

**5. How to store NUTRILITE™ DOUBLE X™**

Store out of reach and sight of children. Store in the original package/container.

Keep the container tightly closed to protect from light and moisture.

Store at or below 25°C. Keep the container in the outer carton.

Do not use NUTRILITE™ DOUBLE X™ after the expiry date stated on the label. The expiry date refers to the last day of that month. Do not use NUTRILITE™ DOUBLE X™, if you notice the tablets has changed shape or colour.

**Disposal of NUTRILITE™ DOUBLE X™ Tablets**

Return all unused medicines to your pharmacist. Do not dispose of unused medicine in drains or sewerage systems (e.g. toilets).

**6. Contents of the pack and other information**

**What NUTRILITE™ DOUBLE X™ contains**

**Vitamin Tablet**

The active substances in each film coated vitamin tablet are vitamin A (as betacarotene and retinyl acetate), vitamin E (as d-alpha tocopheryl acid succinate), vitamin C (as L-ascorbic acid), vitamin B1 (as thiamine mononitrate), vitamin B2 (as riboflavin), vitamin B3 (as nicotinamide), vitamin B6 (as pyridoxine hydrochloride), folic acid, vitamin B12 (as cyanocobalamin), biotin, vitamin B5 (as calcium pantothenate), calcium (as calcium carbonate), magnesium (as magnesium oxide), zinc (as zinc oxide), selenium (as sodium selenite), *Tagetes erecta* (L)(Marigold) flower extract and *Lycopersicon esculantum* (L) (Tomato) fruit extract.

The other ingredients are microcrystalline cellulose, croscarmellose sodium, acacia, hydroxypropyl methylcellulose, agar, calcium stearate, silicon dioxide, magnesium stearate, mixed tocopherols, maltodextrin, sucrose, starch sodium octenyl succinate, sodium alginate, pea starch, corn starch, palm oil, ascorbyl palmitate, soy protein isolate, glycerol, glucose syrup, carnauba wax.

**Mineral Tablet**

The active substances in each film coated mineral tablet are calcium (as calcium carbonate), magnesium (as magnesium oxide), zinc (as zinc oxide), iron (as ferrous fumarate), copper (as copper gluconate), manganese (as manganese sulfate), selenium (as sodium selenite), chromium (as chromium chloride), molybdenum (as sodium molybdate), *Mentha piperita* (L) (Peppermint) leaf extract, *Petroselinum crispum* (L) (Parsley) dried leaf and stem powder, *Spinacia oleracea* (L) (Spinach) dried leaf and stem powder, *Nasturtium officinale* (L) (Watercress) dried leaf and stem powder, *Medicago sativa* (L) (Alfalfa) dried leaf and stem powder.

The other ingredients are silicon dioxide, magnesium stearate, carnauba wax, glycerol, maltodextrin, corn starch, microcrystalline cellulose croscarmellose sodium, acacia, hydroxypropyl methylcellulose, pectin.

**Phytonutrient Tablet**

The active substances in each film coated phytonutrient tablet are vitamin D3 (as cholecalciferol),vitamin C (as L-Ascorbic acid), *Malpighia emarginata* (L) (Acerola) fruit extract, calcium (as calcium carbonate), magnesium (as magnesium oxide), kelp, iodine (as potassium iodide), *Curcuma longa* (L) (Tumeric) rhizome extract, *Dimorphandra mollis* (L)(Rosemary) leaf extract, *Styphnolobium japonicum* (L) (Japanese Pagodatree) flower extract, citrus bioflavonoids, *Vitis vinifera* (L) (Grape) fruit extract, *Ribes nigrum* (L) (Blackcurrant) fruit extract, *Sambucus nigra subsp. Nigra* (Elderberry) fruit extract, *Vaccinium corymbosum* (L) )(Blueberry) fruit powder, *Phyllanthus emblica* (L) )(Amla) fruit powder and *Allium cepa* (L)(Onion) bulb extract.

The other ingredients are microcrystalline cellulose, croscarmellose sodium, hydroxypropyl methylcellulose, acacia, calcium stearate, maltodextrin, silicon dioxide, magnesium stearate, sucrose, glycerol, pea starch, corn starch, medium chain triglycerides, free fatty acids, dl-alpha-tocopherol and carnauba wax.

**What NUTRILITE™ DOUBLE X™ look like and contents of the pack**

**Vitamin Tablet**

Light yellow, arc- diamond shaped film coated tablet debossed with upper leaf. It is available in a gold multi-laminate (PET/ Aluminium/ PET/) vacuum foil pouch containing 62 tablets.

**Mineral Tablet**

Light green, oval shaped speckled film coated tablet.
It is available in a silver multi-laminate (PET/ Aluminium/ PET/) vacuum foil pouch containing 62 tablets.

**Phytonutrient Tablet**

Green, almond shaped film coated tablet with dark speckles.
It is available in a bronze multi-laminate (PET/ Aluminium/ PET/) vacuum foil pouch containing 62 tablets.

**Pack Size:**

186 tablets in a 3-compartment green HDPE container with a slide latch packed in a paper box carton.
186 tablets refill pack in a paper carton

**REGISTRATION NUMBER** This product has not yet been evaluated by the regulatory authority.

**NAME AND ADDRESS OF HOLDER OF CERTIFICATE OF REGISTRATION**
Amway South Africa Pty Ltd, Atlantic Centre, 14 Christiaan Barnard Street, Foreshore, Cape Town 8001

**DATE OF PUBLICATION** To be allocated by the regulatory authority.

**Access to the corresponding Professional Information**
www.Amway.co.za

NO COPY AREA

NO COPY AREA

(front)

Text area
Copy / Graphics may be oriented in any direction

GLUE PANEL

S0 Double X
121576SA
121577SA
A2101634

Title Panel. This panel will be visible on the finished carton

Spine

S0 Double X
121576SA
121577SA
A2101634

Lower Title Panel prints 180°

GLUE PANEL

12853 **BACK**
Flat: 7.875" x 6.3125"
Fold: 1.125" x 1.125"
Panels: 7 x 6
Style: RTA - glued

6.3125 in

NO COPY AREA

**PASIËNTINLIGTINGSTUK**

**SKEDULERINGSTATUS: S0**

**NUTRILITE™ DOUBLE X™– film bedekte tablette.**

| Elke filmbedekte vitamien tablet bevat: | |
|---|---|
| Betakaroteen | 200 µg RAE |
| Retinielasetaat (Vitamien A) | 400 µg RAE |
| (Totale Vitamien A | 600 µg RAE) |
| D-alfa Tokoferielsuursuksinaat (Vitamien E) | 6 mg |
| L-askorbiensuur (Vitamien C) | 50 mg |
| Tiamienmononitraat (Vitamien B1) | 1,1 mg |
| Riboflavien (Vitamien B2) | 1,4 mg |
| Nikotinamied (Vitamien B3) | 8 mg NE |
| Pyridoksienhidrochloried (Vitamien B6) | 1,4 mg |
| Foliensuur | 100 µg |
| Sianokobalamien (Vitamien B12) | 1,25 µg |
| Biotien | 50 µg |
| Kalsium pantoteenaat | |
| wat Pantotensuur (Vitamien B5) verskaf | 6 mg |
| Kalsiumkarbonaat | 356 mg |
| wat Kalsium verskaf | 140 mg |
| Magnesiumoksied | 127.5 mg |
| wat Magnesium verskaf | 65 mg |
| Sinkoksied | 2,35 mg |
| at Sink verskaf | 1,75 mg |
| Natriumseleniet | 30 µg |
| wat Selenium verkaf | 9 µg |
| *Tagetes erecta* (L) (Goudsbloem) | 10 mg |
| wat Luteïenesters verskaf | 1 mg |
| (Bloemoliehars, 40:1 ekstrak gestandaardiseer tot 10% Luteïenesters wat 400 mg gedroogde kruie-ekwivalent verskaf) | |
| *Lycopersicon esculantum* (L) (Tamatie | 10 mg |
| wat Likopen verskaf | 0,5 mg |
| (Vrug, 5000:1 ekstrak, gestandaardiseer tot 5% l likopen wat 5 g hoeveelheid ru-ekwivalent verskaf) | |
| Bevat Suiker: | |
| Sukrose | 6,15 mg |
| Glukose stroop | 0,41 mg |
| Elke filmbedekte vitamien tablet bevat maltodekstrien 9,36 mg en gliserol 0,81 mg. | |

| Elke filmbedekte mineraal tablet bevat: | |
|---|---|
| Kalsiumkarbonaat | 382 mg |
| wat kalsium verskaf | 150 mg |
| Magnesiumoksied | 63,78 mg |
| wat magnesium verskaf | 32,50 mg |
| Sinkoksied | 4,37 mg |
| wat Sink verskaf | 3,25 mg |
| Ysterhoudende fumaraat | 11,82 mg |
| wat Yster verskaf | 3,50 mg |
| Koperglukonaat | 3,64 mg |
| wat Koper verskaf | 0,48 mg |
| Mangaansulfaat | 1,67 mg |
| wat mangaan verskaf | 0,50 mg |
| Natriumseleniet | 60 µg |
| wat Selenium verskaf | 16 µg |
| Chroomchloried | 100 µg |
| wat chroom verskaf | 18 µg |
| Natriummolibdaat | 89 µg |
| wat Molibdeen verskaf | 22,50 µg |
| *Mentha piperita* (L) (Peperment) | 6 mg |
| (Blaar, 5:1 ekstrak, gestandaardiseer tot 10 % eriositrien wat 30 mg hoeveelheid ru-ekwivalent verskaf) | |
| *Petroselinum crispum* (L) (Pietersielie) | 4,25 mg |
| (blaar-en stampoeier) | |
| *Spinacia oleracea* (L) (Spinasie) (blaar- en stampoeier).. | 4,25 mg |
| *Nasturtium officinale* (L) (Waterkers) | 2,43 mg |
| (blaar- en stampoeier) | |
| *Medicago sativa* (L) (lusern) (blaar- en stampoeier) | 1,22 mg |
| Suiker vry | |
| Elke filmbedekte mineraal tablet bevat maltodekstrien 10,04 mg en gliserol 0,62 mg. | |

| Elke filmbedekte fytonutriënt tablet bevat: | |
|---|---|
| Cholekalsiferol (Vitamien D3) | 3,75 µg |
| L-askorbiensuur (Vitamien C) | 22 mg |
| *Malpighia emarginata* (L) (Acerola) | 35,42 mg |
| (Vrug, 19-24:1 ekstrak gestandaardiseer tot 20 % askorbiensuur wat 672 mg – 850 mg gedroogde kruie-ekwivalent verskaf) | |
| Kalsium verskaf | 50 mg |
| Kalsiumkarbonaat | 127,41 mg |
| wat Magnesiumoksied | 49 mg |
| wat magnesium verskaf | 25 mg |
| *Ascophyllum nodosum* (L) en Laminaria digitata (L) | 11,5 mg |
| (Kelp) | |
| wat Jodium verskaf | 15 µg |
| (Hele tallus poeier, gestandaardiseer tot 0,13% - 0,19% jodium) | |
| Kaliumjodied | 80 µg |
| wat Jodium verskaf | 50 µg |
| (Totale Jodium | 65 µg) |
| Curcuma longa (L) (Borrie | 18,5 mg |
| (Risoom, 25-50:1 ekstrak gestandaardiseer tot 85% curcuminoïede wat 462,5 mg - 925 mg gedroogde kruie-ekwivalent verskaf) | |
| *Dimorphandra mollis* (L) (Roosmaryn) | 78 mg |
| (Blaar, 5-10:1 ekstrak gestandaardiseer tot 6% roosmarynsuur wat 390 mg -780 mg gedroogde kruie-ekwivalent verskaf) | |
| *Styphnolobium japonicum* (L) (Japannese Pagodeboom)..... | 64 mg |
| (Bloem, 15:1 ekstrak gestandaardiseer tot 83% -105% quercetin wat 960 mg gedroogde kruie-ekwivalent verskaf) | |
| *Sitrus spesies* (Sitrus Bioflavonoïede) | 10,43 mg |
| van: *Sitrus sinensis* (L), *Sitrus paradisi* (L), *Sitrus limon* (L), *Sitrus reticulata* (L). | |
| (Vrug en skil, 4-7:1 ekstrak gestandaardiseer tot 5,20% - 9,29% hesperidien wat 41,72 mg-73 mg gedroogde kruie -ekwivalent verskaf) | |
| *Vitis vinifera* (L) (Druiwe) | 8,9 mg |
| (Vrug, 100-150:1 ekstrak gestandaardiseer tot minimum 10% antosianiene wat 890 mg-1335 mg hoeveelheid ru-ekwivalent verskaf) | |
| *Ribes nigrum* (L) (Braambessie) | 2,4 mg |
| (Vrug, 90-400:1 ekstrak gestandaardiseer tot 25% antosianiene wat 216 mg -960 mg hoeveelheid ru-ekwivalent verskaf) | |
| *Sambucus nigra subsp. nigra* (Vlierbessie) | 1,3 mg |
| (Vrug, 67- 92: 1 ekstrak gestandaardiseer tot 16% antosianiene wat 87 mg- 119,6 mg hoeveelheid ru-ekwivalent verskaf) | |
| *Vaccinium corymbosum* (L) (Bloubessie) (vrugpoeier) | 1,5 mg |
| *Phyllanthus emblica* (L) (Amla) (vrugpoeier) | 5 mg |
| *Allium cepa* (L) (Ui | 2 mg |
| (Bolle, 120 -150:1 ekstrak gestandaardiseer tot 2 % quercetin wat 240 mg -300 mg hoeveelheid ru-ekwivalent verskaf) | |
| Bevat Suiker: | |
| Sukrose | 1,67 mg |
| Elke filmbedekte fytonutriënt tablet bevat maltodekstrien 25 mg en gliserol 0,64 mg. | |

**D34.7 KOMBINAS IE PRODUK**

**KOMPLEMENTÊRE MEDISYNE – WESTERSE KRUIE MEDISYNE EN GESONDHEIDSAANVULLING.**

**Lees hierdie hele inligtingstuk sorgvuldig aangesien dit belangrike inligting vir jou bevat.**

Hierdie ongeregistreerde medisyne is nie geëvalueer deur SAHPRA vir die kwaliteit, veiligheid of beoogde gebruik nie.

NUTRILITE™ DOUBLE X™ is beskikbaar vir jou sonder 'n dokters voorskrif om jou immuniteit te ondersteun. Nietemin, moet jy egter steeds NUTRILITE™ DOUBLE X™ versigtig gebruik om die beste resultate daarvan te kry.

- Hou hierdie inligtingstuk. Dit mag nodig wees dat jy dit weer moet lees.
- Moet nie NUTRILITE™ DOUBLE X™ met enige person deel nie.
- Vra jou gesondheidswerker of apteker indien jy meer inligting of advies benodig.

**Wat is in hierdie pamflet:**

1. Wat NUTRILITE™ DOUBLE X™ is en waarvoor dit gebruik word
2. Wat jy moet weet voordat jy NUTRILITE™ DOUBLE X™ neem
3. Hoe om NUTRILITE™ DOUBLE X™ te gebruik
4. Moontlike newe effekte
5. Hoe om NUTRILITE™ DOUBLE X™ te stoor
6. Inhoud van die verpakking en ander inligting

**1. Wat NUTRILITE™ DOUBLE X™ is en waarvoor dit gebruik word?**

NUTRILITE™ DOUBLE X™ wat 12 essensieel vitamiene, 10 minerale en 22 plantgebaseerde bestanddele verskaf vir jou algemene voedingsgesondheid. NUTRILITE™ DOUBLE X™ bevat plantgebaseerde bestanddele van die 5 kleure op die fytonutriëntspektrum. Die plantgebaseerde bestanddele wat die bron van antioksidante verskaf. Antioksidante help jou selle om te veg teen die effek van oksidatiewe skade wat deur vrye radikale veroorsaak word. "n Gevarieerde dieet is die doeltreffendste en veiligste manier om goeie voeding, gesondheid, liggaamsamestelling sowel as geestelike en fysieke prestasie te bereik."

**2. Wat jy moet weet voordat jy NUTRILITE™ DOUBLE X™ neem**

**Moenie NUTRILITE™ DOUBLE X™ gebruik**

- As jy hipersensitief (allergies) vir enige van die bestanddele is nie (Gelys onder afdeling 6.0).
- Indien jy hipersensitief (allergies) is vir die Asteraceae/ Compositae familie. Lede van hierdie familie sluit ragweed, krisante, gousblomme, madeliefies in.
- Indien jy swanger is, borsvoed, of beplan om swanger te raak.
- As jy aan hiperkalsemie (hoë vlakke van kalsium in die bloed) ly.
- Indien jy nierstene of enige chroniese niertoestande het.
- As jy aan ysteropbergingsstoornisse ly, soos hemochromatose.
- Indien jy hoë vlakke van vitamien A in jou bloed het (hipervitaminose A).
- As jy ander aanvullings gebruik wat vitamien A, betakaroteen en retinol bevat.
- Indien jy allergies is vir neute of soja.

**Waarskuwings en voorsorgmaatreëls**

Neem spesiale sorg met NUTRILITE™ DOUBLE X™. Raadpleeg jou gesondheidsorgwerker voor gebruik:

- Indien jy voorskrifmedisyne gebruik.
- Indien jy galstene of 'n galwegobstruksie het.
- Indien jy maagsere of oortollige maagsuur het.
- Indien jy aan niersiekte ly.
- Indien jy 'n tabaksroker is.
- Indien jy kardiovaskulêre siektes het
- Indien jy statiene gebruik om cholesterol te verlaag
- Indien jy aan skildklierprobleme ly.
- Indien gediagnoseer of vermoedelik aan prostaatkanker ly.
- As jy buikpyn, naarheid, koors of braking het of ontwikkel

As jy voorskrifmedisyne gebruik, raadpleeg 'n relevante gesondheidsorgverskaffer voor gebruik, aangesien sitrusbioflavonoïede dit kan verander effektiwiteit van hierdie medisyne. Moenie die daaglikse dosis oorskry sonder om met 'n relevante gesondheidsorgverskaffer te konsulteer nie. Stop die gebruik as lakseermiddel effek voorkom. Langdurige gebruik (deurlopende gebruik van 3 maande) behoort onder die sorg van 'n relevante gesondheidsorgverskaffer te wees. NUTRILITE ™ DOUBLE X ™ is nie geskik vir kinders nie.

**Kinders en Adolessente**

NUTRILITE™ DOUBLE X™ is nie geskik vir kinders of adolessente onder die ouderdom van 18 jaar nie.

**Ander medisyne en NUTRILITE™ DOUBLE X™**

Daar is geen bekende interaksies van NUTRILITE™ DOUBLE X™ met ander medisyne nie. Vertel altyd jou gesondheidsorgverskaffer as jy enige ander medisyne neem, insluitend alle komplementêre of tradisionele medisyne. Dit is veral belangrik indien jy enige van die volgende medisyne neem, aangesien NUTRILITE™ DOUBLE X™ interaksies daarmee kan hê:

- As jy bloedplaatjie-middels of bloedverdunners gebruik
- As jy fenitoïen gebruik (gebruik vir die behandeling van epilepsie)
- As jy tetrasiklien antibiotika gebruik (wat gebruik word om infeksies te behandel), soos doksisiklien en minosiklien.

Betakaroteen aanvullings kan interaksie hê met die volgende medisyne:

- Statiene: Betakaroteen mag simvastatien (Zocor) minder effektief maak. Dieselfde kan waar wees van ander statiene, soos atorvastatin (Lipitor). As jy statiene gebruik om cholesterol te verlaag, praat met jou dokter voordat jy betakaroteenaanvullings neem.
- Cholestyramien, 'n medisyne wat gebruik word om cholesterol te verlaag, kan vlakke van dieet-betakaroteen in die bloed verlaag.
- Colestipol, 'n cholesterolverlagende medisyne soortgelyk aan cholestyramien, kan ook betakaroteenvlakke verlaag. Jou dokter kan jou vlakke van betakaroteen monitor, maar jy hoef gewoonlik nie 'n aanvulling te neem nie.
- Orlistat: Orlistat (Xenical), 'n gewigsverliesmedisyne, kan die absorpsie van betakaroteen verminder, wat beteken dat jou liggaam minder betakaroteen sal inneem.
- Voorbehoedpille verhoog die vlak van vitamien A in jou bloed.
- Bloedverdunners soos antiplaatjies (soos aspirien), antikoagulante (abciximab, klopidogrel, heparien, warfarien) en niesteroïdale anti-inflammatoriese medisyne (soos ibuprofen, naproxen). Die effek van bloedverdunners en nie-steroïdale anti-inflammatoriese medisyne kan verhoog word, wat tot langer bloedingstyd lei.
- Minerale olie wat as lakseermiddels gebruik word (soos paraffienolie) kan die absorpsie van betakaroteen verminder.
- Oormatige alkoholverbruik verhoog die risiko van lewerskade weens vitamien A.
- Ander aanvullings wat vitamien A, betakaroteen en retinol bevat. Hipervitaminose A, of vitamien A toksisiteit, kom voor wanneer jy te veel vitamien A in jou liggaam het.

Vra jou dokter, apteker of gesondheidsorgverskaffer as jy onseker is.

**NUTRILITE™ DOUBLE X™ saam met voedsel, drank en alkohol**

Neem NUTRILITETM DOUBLE X™ verkieslik saam met 'n maaltyd soos aanbeveel (sien afdeling 3) sonder alkohol. Neem NUTRILITETM DOUBLE X™ twee (2) uur voor of na die neem van ander medisyne

**Swangerskap, borsvoeding en vrugbaarheid**

Indien jy swanger is of borsvoed, of dink dat jy swanger is of beplan om swanger te raak, raadpleeg asseblief jou gesondheidswerker vir advies voordat jy hierdie komplementêre medisyne neem. Veiligheid in swangerskap is nog nie vasgestel nie.

**Bestuur en gebruik van masjinerie**

NUTRILITE™ DOUBLE X™ word nie verwag om jou vermoë om te bestuur te beïnvloed nie. Alhoewel, jy moet nie bestuur, masjinerie gebruik of take verrig wat konsentrasie vereis totdat jy seker is dat NUTRILITE™ DOUBLE X™ die vermoë daarvan nadelig beïnvloed nie (Sien Moontlike Newe effekte in afdeling 4).

**Belangrike inligting oor sommige van die bestanddele in NUTRILITE™ DOUBLE X™:**

NUTRILITE™ DOUBLE X™ bevat soja -olie. As jy allergies is vir soja, moet u nie hierdie aanvullende medisyne gebruik nie. Die Vitamien tablet in NUTRILITE™ DOUBLE X™ Bevat maltodekstrien, sukrose, gliserol en glukose. Die mineraal tablet in NUTRILITE ™ DOUBLE X™ Bevat maltodekstrien en gliserol. Die fytonutriënttablet in NUTRILITE ™ DOUBLE X™ Bevat maltodekstrien, sukrose en gliserol. Maltodekstrien, sukrose, gliserol en glukose is suikers en kan 'n uitwerking hê op die beheer van jy bloedsuiker as jy diabetes mellitus het. Indien jy deur jou dokter u meegedeel het dat u sommige suikers nie verdra nie, moet u u dokter kontak voordat jy NUTRILITE™ DOUBLE X™ neem. NUTRILITE ™ DOUBLE X™ fytonutriënttablet bevat Amla ekstrak wat 'n lakseermiddel kan hê.

**3. Hoe om NUTRILITE™ DOUBLE X™ te neem**

Neem NUTRILITE™ DOUBLE X™ altyd presies soos aangedui op die etiket of soos deur jou dokter of apteker aangedui. Raadpleeg jou dokter, apteker of verpleegster indien jy nie seker is nie. Die gewone dosis vir volwassenes is: Neem (1) een Vitamien tablet, een (1) mineraal tablet en een (1) fytonutriënt tablet twee keer per dag saam met etes of volgens die voorskrif van u dokter. Moenie die aanbevole daaglikse dosis oorskry nie behalwe deur jou dokter aanbeveel.

**As jy meer NUTRILITE™ DOUBLE X™ geneem het as wat jy moet**

In geval van 'n oordosis, raadpleeg jou dokter of apteker. As daar nie een beskikbaar is nie, kontak die naaste hospital of vergiftingssentrum.

**As jy vergeet het om NUTRILITE™ DOUBLE X™ te neem**

Moenie 'n dubbele dosis neem om die vergete dosis in te haal nie.

**4. Moontlike newe effekte**

NUTRILITE™ DOUBLE X™ kan newe effekte hê. Nie al die newe effekte is gerapporteer van NUTRILITE™ DOUBLE X™ en ingesluit in hierdie pamflet nie. Indien jou algemene gesondheid agteruitgaan of as jy enige onnodige effekte ondervind terwyl jy NUTRILITE™ DOUBLE X™ gebruik, kontak asseblief jou dokter, apteker of ander gesondheidswerker vir advies.

Indien enige van die volgende gebeur, stop dadelik om NUTRILITE™ DOUBLE X™ te neem, en vertel jou dokter dadelik of gaan na jou naaste noodafdeling by jou naaste hospitaal:

- swelling van u hande, voete, enkels, gesig, mond of keel, wat probleme met sluk of asemhaling kan veroorsaak, • uitslag of jeuk, • beswyking
- vergeling van jou vel en oë, ook geelsug genoem

Dit is alles baie ernstige newe -effekte. As u dit het, het u moontlik 'n ernstige allergiese reaksie gehad. U benodig dringend mediese aandag of hospitalisasie.

Vertel u dokter onmiddellik of gaan na die noodafdeling van u naaste hospitaal as u een van die volgende opmerk:

- borspyn, • angina, • veranderinge in die manier waarop u hart klop, byvoorbeeld as u sien dat dit vinniger klop, asemhal- ingsprobleme, • tekens van herhalende infeksies soos koors of keelseer, • minder urine as normaal vir u,

Dit is alles ernstige newe -effekte. Miskien het u dringende mediese aandag nodig. Vertel u dokter so gou as moontlik as u een van die volgende opmerk:

- naarheid,• maagkrampe of maagpyn,• hoofpyn,• duiseligheid,• moegheid
- duiseligheid, • droë hoes, • spierkrampe, • wind of wind, • diarree,
- eetlus verloor

As u enige newe -effekte opmerk wat nie in hierdie pamflet genoem word nie, moet u u dokter of apteker daarvan in kennis stel.

**Rapportering van newe effekte**

Praat met jou dokter, apteker of verpleegster as jy newe effekte ervaar. Jy kan ook newe effekte by SAHPRA aanmeld: SAHPRA publikasies: SAHPRA via die "6.04 Adverse Drug Reaction Reporting Form", wat aanlyn gevind kan word

https://www.sahpra.org.za/Publications/Index/8.

Botswana publikasies:

https://www.bomra.co.bw/index.php/services/patient-safety-monitoring.

Nambia publikasies: Adverse Medicine Reaction Reporting Form

http://www.nmrc.com.na/downtipc

Mag ook aan Amway South Africa Pty Limited rapporteer deur die volgende e-pos te gebruik:

Regulatory_Department@Amway.com.

Deur newe effekte te rapporteur, kan jy help om meer inligting te verskaf teenoor die veiligheid van NUTRILITE™DOUBLE X™.

**5. Hoe om NUTRILITE™ DOUBLE X™ te stoor**

Stoor alle medisyne buite die bereik en sig van kinders. Stoor alle medisyne buite die bereik van kinders. Stoor in die oorspronklike verpakking/houer. Stoor teen of benede 25°C. Hou die houer dig toe en beskerm teen sonlig, hitte en vog. Moenie NUTRILITE™ DOUBLE X™ gebruik na die vervaldatum op die etiket nie. Die vervaldatum verwys na die laaste dag van daardie maand. Moenie NUTRILITE™ DOUBLE X™ gebruik, indien die tablette van kleur of vorm verander het nie.

**Wegdoening van NUTRILITE™ DOUBLE X™**

Neem alle ongebruikte medisyne terug na u apteker. Moenie ongebruikte medisyne in dreine of rioolsisteme (bv.toilette) weggooi nie.

**6. Inhoud van die verpakking en ander inligting**

**Wat NUTRILITE™ DOUBLE X™ filmbedekte tablette bevat**

**Vitamien Tablet**

Die aktiewe bestanddele in elke filmbedekte vitamien tablet is vitamien A (as betakaroteen en retinielasetaat), vitamien E (as D-alfa-tokoferielsuursuksinaat), vitamien C (as L-askorbiensuur), vitamien B1 (as tiamienmononitraat), vitamien B2 (as riboflavien), vitamien B3 (as nikotinamied), vitamien B6 (as pyridoksienhidrochloried), foliensuur, vitamien B12 (as sianokobalamien), biotien, vitamien B5 (as kalsium pantoteenaat), kalsium (as kalsiumkarbonaat), magnesium (as magnesiumoksied), sink (as sinkoksied), selenium (as natriumseleniet), *Tagetes erecta* (L) (Goudsbloem) blomoliehars ekstrak en *Lycopersicon esculantum* (L) (Tamatie) vrug ekstrak.

Die ander bestanddele is mikrokristallyne sellulose, natriumkroskarmellose, akasia, hidroksipropielmetielcellulose, agar, kalsiumstearaat, silikondioksied, magnesiumstearaat, maltodekstrien, gemengde tokoferole, sukrose, natriumstyselenoksienaat, natriumalginaat, ertjie stysel, mielie stysel, palmolie, askorbyl palmitaat, soja proteïen isolaat, gliserol, glukosestroop en karnaubawas.

**Mineraal Tablet**

Die aktiewe stowwe in elke filmbedekte mineraal tablet is kalsium (as kalsiumkarbonaat), magnesium (as magnesiumoksied), sink (as sinkoksied), yster (as ysterhoudende fumaraat), koper (as Koperglukonaat), magaan (as mangaansulfaat), selenium (as natriumseleniet),chroom (as chroomchloried), molibdeen (as natriummolibdaat), *Mentha piperita* (L) (Peperment) blaar ekstrak, *Petroselinum crispum* (L) (Pietersielie) gedehidreerde blaar-en stampoeier, *Spinacia oleracea* (L) (Spinasie) gedehidreerde blaar-en stampoeier, *Nasturtium officinale* (L) (Waterkers) gedehidreerde blaar- en stampoeier, *Medicago sativa* (L) (Alfalfa) gedehidreerde blaar- en stampoeier).

Die ander bestanddele is silikondioksied, magnesiumstearaat, karnaubawas, gliserol, maltodekstrien, mieliestysel, mikrokristallyne sellulose, kroskarmellose-natrium, akasia, hidroksipropielmetielsellulose en pektien.

**Fytonutriënt Tablet**

Die aktiewe stowwe in elke filmbedekte fytonutriënt tablet is vitamien D3(as cholekalsiferol ), vitamien C (as L-askorbiensuur ), *Malpighia emarginata* (L) (Acerola) vrug ekstrak, kalsium (as kalsiumkarbonaat), magnesium (as magnesiumoksied), jodium(van kelp en kaliumjodied), *Curcuma longa* (L) (Tumeric) risoom ekstrak, *Dimorphandra mollis* (L) (Roosmaryn) blaar ekstrak, *Styphnolobium japonicum* (L) (Japannese Pagodeboom) blom ekstrak, sitrus bioflavonoïede, *Vitis vinifera* (L) (Druiwe) vrug ekstrak, *Ribes nigrum* (L) (Braambessie) vrug ekstrak, *Sambucus nigra subsp.Nigra* (Vlierbessie) vrug ekstrak, *Vaccinium corymbosum* (L) (Bloubessie) (vrugpoeier), *Phyllanthus emblica* (L) (Amla) (vrugpoeier) en *Allium cepa* (L) (Ui) bolle ekstrak.

Die ander bestanddele is mikrokristallyne sellulose, natrium kroskarmellose, hidroksipropielmetielcellulose, akasia, kalsiumsulfaat, kalsiumstearaat, maltodextrien, silikondioksied, magnesiumstearaat, sukrose, gliserol, ertjie stysel, mielie stysel, medium ketting trigliseriede en karnaubawas

**Hoe NUTRILITE™ DOUBLE X™ lyk en die inhoud van die houer**

**Vitamien Tablet**

Liggeel, boog-diamantvormige filmbedekte tablet wat met boonste blaar ingeprent is.

Dit is beskikbaar in 'n goue multi-laminaat (PET/ Aluminium/ PET/) vakuumfoeliesakkie wat 62 tablette bevat.

**Minerale Tablet**

Liggroen, ovaal, gespikkelde filmbedekte tablet.

Dit is beskikbaar in 'n goue multi-laminaat (PET / aluminium / PET) vakuumfoeliepak wat 62 tablette bevat.

**Fytonutriënte Tablet**

Groen, amandelvormige filmbedekte tablet met donker spikkels.

Dit is beskikbaar in 'n goue multi-laminaat (PET / aluminium / PET) vakuumfoeliepak wat 62 tablette bevat.

**Pakgrootte**:

186 tablette in 'n 3-kompartement groen HDPE-houer met 'n skuifgrendel verpak in 'n kartonhouer.

186 tablette hervul pak in 'n kartonhouer.

**Registrasie Nommer**

Hierdie produk is nog nie deur plaaslike owerheid geevalueer nie.

**Naam en besigheidsadres van die houer van die registrasiesertifikaat**

Amway Suid Afrika (Edms) Bpk Atlantiese Sentrum, 14 Christiaan Barnard Straat, Foreshore, Kaapstad, 8001

**Datum van Publikasie** Moet toegedien word deur die plaaslike owerheid.

**Toegang tot die ooreenstemmende Professionele inligting**

www.Amway.co.za

NO COPY AREA

NO COPY AREA

(back)

0.1875 0.1875 0.1875 0.1875 0.1875 0.125 1.125 1.125 7.875 in 4.46875